



AMARR 2741

Previously Model 1350


ENTRE//MATIC




INTERIOR ELEVATION




EXTERIOR ELEVATION




SECTION A-A



26" x 13 1/2" DOUBLE INSULATED
ACRYLIC GLASS




24" x 12" WINDOW W/ INSULATED GLASS




24" X 6" DOUBLE INSULATED
ACRYLIC GLASS

DOOR WIDTH	MAX No. WINDOWS	DOOR WIDTH	MAX No. WINDOWS
8'2"	2	17'2"	5
9'2"	2	18'2"	5
10'2"	3		
11'2"	3		
12'2"	3		
13'2"	4		
14'2"	4		
15'2"	4		
16'2"	4		


NOTE: CHART ABOVE INDICATES MAXIMUM
NUMBER OF WINDOWS PER SECTION.



26" x 13 1/2" DOUBLE INSULATED
ACRYLIC GLASS



24" x 12" WINDOW W/ INSULATED GLASS



24" X 6" DOUBLE INSULATED
ACRYLIC GLASS

DOOR WIDTH	MAX No. WINDOWS	DOOR WIDTH	MAX No. WINDOWS
8'2"	2	17'2"	5
9'2"	2	18'2"	5
10'2"	3		
11'2"	3		
12'2"	3		
13'2"	4		
14'2"	4		
15'2"	4		
16'2"	4		

NOTE: CHART ABOVE INDICATES MAXIMUM
NUMBER OF WINDOWS PER SECTION.