



MODEL 3040


ENTRE//MATIC




INTERIOR ELEVATION




ISOMETRIC PROFILE



EXTERIOR ELEVATION



SECTION A-A



26" x 13 1/2" DOUBLE PANE INSULATED
PLEXI-GLASS

DOOR WIDTH	MAX No. WINDOWS
8'2"	2
9'2"	2
10'2"	3
11'2"	3
12'2"	3
13'2"	4
14'2"	4
15'2"	4
16'2"	4
17'2"	5
18'2"	5
19'2"	5
20'2"	6

NOTE: CHART ABOVE INDICATES MAXIMUM
NUMBER OF WINDOWS PER SECTION.

SECTION ARRANGEMENT CHART

Door Height	21" Bottom	21" Intermediate	24" Bottom	24" Intermediate
7'0"	1	3		
7'3"		3	1	
7'6"		2	1	1
7'9"		1	1	2
8'0"				4
8'3"	Not Available			
8'6"	Not Available			
8'9"	1	4		
9'0"		4	1	
9'3"		3	1	1
9'6"		2	1	2
9'9"		1	1	3
10'0"			1	4
10'3"	Not Available			
10'6"	1	5		
10'9"		5	1	
11'0"		4	1	1
11'3"		3	1	2
11'6"		2	1	3
11'9"		1	1	4
12'0"			1	5
12'3"	1	6		
12'6"		6	1	
12'9"		5	1	1
13'0"		4	1	2
13'3"		3	1	3
13'6"		2	1	4
13'9"		1	1	5
14'0"			1	6
14'0"	1	7		
14'3"		7	1	
14'6"		6	1	1
14'9"		5	1	2
15'0"		4	1	3
15'3"		3	1	4
15'6"		2	1	5
15'9"		1	1	6
15'9"	1	8		
16'0"			1	7
16'0"		8	1	